T BOOK

| sions | | Contents | Reference to last Measureme |
|---|---|---|---|
| Breadth 5 | Depth 6 | 7 | 8 |
| | Total | 996100 | |
| | IT | 9961 | |
| | SGST | 8894 | |
| | CGST | 8894 | |
| | CSF | 1000 | |
| | LWF | 10000 | |
| | T.D | 38749=00 | |
| | Net | 957351=00 | |

I & Final Bill

Work code - 005-19-000034

M. A. R. 57 (Rule 116)
Measurement Book

No. B Est Cost Rs. 25.00 Lacs

Serial No. ..... Repair works to Kout Hospital Building 195642
Name of Work ..... At Agrahara layout in ..... To Ward no. 05
Name of Contractor of nature of Agency ..... By Atarayanapura Sub division.
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | Work order no - BBMP/EE/BTP/WO/ | | | | | 2019.20 | |
| | Name & Contractor - Sri. Prakash Naik. H. #03 5th cross Lawrence layout Arabic colleage. B lane. 560045 | | | | | | |
| (1) | Earth work excavation by manual means in ordinary Soil Soil involving an average horizontal throw upto 2 meters and an average lift upto 0.00 MSV excavated | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Surface levelled and sides neatly dressed and disposed earth to be levelled neatly after breaking clods complete as per specification. | | | | | | |
| | As per Pre-Measurement recorded vide Page No.. 495693 to 495694 in this MB. | | | | | | |
| | Rate- 80:00 | | | | | 162.00 M | |
| | | | | | | 12960:00 | |
| (2) | Providing and laying in position to required level or slope 300 mm internal diameter, salt glazed Stoneware pipes grade A and joining with cement mortar 1:1 in proportion | | | | | | |

M.A
M

Serial No. .....
Name of Work ..... Fro
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Numbe |
|---|---|---|
| 1 | 2 | 3 |
| | & 1:1 testing & Pi | |
| | materials labour Ch | |
| | As per Pre-Mea | |
| | Page No.. 495694 | |
| | Rate- 600:00 | |
| (3) | Providing and laying | |
| | & Mix M7.5 using | |

Item (32) 925

BOOK

| ons | | Contents | Reference to last Measureme |
|---|---|---|---|
| readth 5 | Depth 6 | 7 | 8 |
| eg neatly dressed sur | | | |
| ed neatly as per Sheet | | | |
| Specification. | | | |
| ment recorded vide | | | |
| 495694 in this MB. | | | |
| | | 162.00 M | |
| | | | 12960:00 |
| Position to required | | | |
| rnal diameter, Salt | | | |
| grade A and joining wi | | | |
| ver as in Proportion | | | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

495643

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | & 1:1 testing & Pipes and joints including cost & materials labour charges complete as per Specification. | | | | | | |
| | As per Pre-Measurment recorded vide Page No.. 495694 to 495695 in this MB. | | | | | | |
| | Rate. 600:00 | | | | | | |
| (3) | Providing and laying in position Plain Cement Concrete & Mix M7.5 using 40mm and down size graded stone | | | | | 90.00 M3 | |
| | | | | | | | 54000:00 |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Prop metal for hauncing of 300mm internal diameter stone ware pipes cement mixed laid in layers not exceeding 15 cms where ever directed including cost of materials labour charges of socket joints complete as per specification. | | | | | | |
| | As per pre-measurement recorded vide Page No. 495695 to 495696 | | | | | in this MB | |
| | Page - 900 : 10 | | | | | 90.00 Mtr. | 81000 : 10 |
| (4) | Constructing brick masonry circular type | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agen
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | manhole 1.2 deep and 0.56 Modular bric mortar 1:4 in cement mortar cement sand size granite Cement M15 with glazing |

BOOK

| Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| & 300mm internal | | |
| Concrete mixed cast | | |
| ing well with concrete | | |
| Cover Casting of 80mm | | |
| ver Specification. | | |
| ent recorded vide | | |
| 6 96 | in this MB | |
| | 90-00 Mtr. | |
| | 81000-00 | |
| ry circular type | | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

495644

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | manhole 1.22 mtr internal dia at bottom 1.68 mtr deep and 0.56 m dia at top with taper moulded non modular bricks 8 no class designation 50 in cement mortar 1:4 inside cement plastered 12 mm thick with cement mortar 1:3 finished with glossing coat & neat cement foundation Concrete M 10 using 40 mm and down size granite metal and making necessary channel in concrete M 15 with 20 mm and down size granite metal finished with glossing coat & neat cements with SFRC Cover | | | | | | |

Item (22) Files

# MEASUREMENT BOOK

| D 1 | description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measure 8 |
|---|---|---|---|---|---|---|---|
| (22) | Providing and fixing special make glazed vetrified tiles (Chromomise finish) of approved make design and colour of size 600 x 600 x 10 mm thick fixed on exist flooring with a special grade adhesive for flooring and skirting etc. complete including providing spacers as required interval and removing staing etc. complete | | | | | | |
| | Meeting Room. | 1 | 5.40 | 4.55 | - | 24.57 | |
| | General Clinic | 1 | 6.70 | 4.95 | - | 33.16 | |
| | Eye specialist | 1 | 4.95 | 4.75 | - | 23.51 | |
| | M Stone | 1 | 2.88 | 3.70 | - | 10.54 | |
| | Varandaha | 1 | 3.25 | 2.88 | - | 9.26 | |
| | | | | | | 101.04 | |

C&F.C. 13/11

M. A.
Mea

erial No. ..... From
ame of Work .....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

| Date | Full description, etc, of work 2 | Number 3 |
|---|---|---|
| | Blood Test Lab | 1 |
| | | 1 |
| | | 1 |
| | | 1 |
| | | 1 |
| | Stone | 1 |
| | | 1 |
| | | 1 |
| | | 1 |

C&F.C. 13/11

Item (32) 93 Sqm

OOK

| Depth 6 | Contents 7 | Reference to last Measuremen 8 |
|---|---|---|
| ee glazed Vetrified | | |
| ved mate during | | |
| mm thick fixed on exam | | |
| ing for flooring | | |
| ding providing spear | | |
| ing Staing etc. Complete. | | |
| - | 24.57 | |
| - | 33.16 | |
| - | 23.51 | |
| - | 10.54 | |
| - | 9.26 | |
| | 101.04 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

495661

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | Blood Test Lab | 1 | 2.85 | 2.30 | - | 6.55 | |
| | | 1 | 4.85 | 1.75 | - | 8.48 | |
| | C&F.C. | 1 | 2.95 | 3.00 | - | 8.85 | |
| | | 1 | 3.00 | 3.20 | - | 9.60 | |
| | | 1 | 3.00 | 1.20 | - | 3.60 | |
| | Stone | 1 | 4.95 | 1.25 | - | 6.18 | |
| | | 1 | 2.55 | 1.55 | - | 3.95 | |
| | | 1 | 2.85 | 2.65 | - | 6.75 | |
| | | | | | | 155.00 | |

(22)
Files

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Skirting | 1 | 1.55 | 1.55 | - | 2.40 | |
| | | 1 | 1.55 | 1.45 | - | 2.24 | |
| | | 2 | 5.40 | 0.10 | - | 1.08 | |
| | | 2 | 4.55 | 0.10 | - | 0.91 | |
| | | 2 | 6.70 | 0.10 | - | 1.34 | |
| | | 2 | 4.95 | 0.10 | - | 0.99 | |
| | | 2 | 4.95 | 0.10 | - | 0.99 | |
| | | 2 | 4.75 | 0.10 | - | 0.95 | |
| | | 2 | 2.85 | 0.10 | - | 0.57 | |
| | | 2 | 3.70 | 0.10 | - | 0.74 | |
| | | | | | | 167.21 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |

Item (22) Files

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Labour and tools & equipment for all Loads complete as per Specification. | | | | | | |
| | | 20 | - | - | - | 20 Nos | |
| | Rate. 250 : 00 | | | | | 5000 : 00 | |
| 38 | Providing fabricating assembling and fixing in position anodized Aluminium Partition using aluminium section & mat finish or glossy finish in Conforming to Plain frame Single frame and Double frame as per requirements for the frames & overall size 63.5 mm x 38.1 mm with Louvers & 2 mm having section with Plain Section 1.05 kg/mm Single frame deliveries | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Ag
Date of commencement of work ...

| Date | Full description, etc, of w |
|---|---|
| 1 | 2 |
| | 1.95 mm gee h |
| | 1.90 mm gee h |
| | x 44.45 mm de |
| | louvers gee |
| | section with |
| | device precau |
| | exterior fra |
| | not exceed |
| | Joints wide |
| | Rate - Compl |

| ensions Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| ent with all Leads Complete | | | |
| - | - | 20 Nos | 5000 : 0 |
| rubbing and fixing in position | | | |
| tion using aluminium | | | |
| ssing finish in Complete | | | |
| and double groove as p | | | |
| ves & overall size 63.5 mm | | | |
| 3 mm having section wei | | | |
| single groove thickness | | | |

M. A. R. 57 (Rule 116)
Measurement Book

Item (32) 935 qm

Serial No. ..... 495669
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | 1.95 mm section weighing 1.094 kg/mtr double groove thickness 1.90 mm section weighing 1.094 kg/m and 50 x 50 mm member x 114.3 mm x 44.45 mm thickness 3.18 mm weighing 2.646 kg/mtr Aluminium louvers section of size 36.5 mm x 34.93 mm 1.45 mm thick section weighing 0.426 kg/mtr 50 x 50 mm Portion provided with 12 mm thick precamineted sheet on sides & approved Colour Coating Exterior grade upto 0.90 meters spacing & vertical mong not exceeding 0.6 mm c/c. Section are as per approved Construction Louvers widened and louvers guided by dividing frames between ESE- Complete as per specification and Direction & Engineer in charge. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | New Hospital. | 1 | 4.95 | 2.15 | - | 10.64 | 10.53 |
| | Window. W | 10 | 0.90 | 1.20 | - | 10.80 | |
| | $W_1$ | 1 | 2.10 | 1.20 | - | 2.52 | |
| | $W_2$ | 2 | 1.50 | 1.20 | - | 3.60 | |
| | C&FC | 1 | 5.25 | 2.40 | - | 12.60 | |
| | 13/11 | 1 | 3.90 | 3.00 | - | 11.70 | |
| | | 1 | 1.80 | 2.40 | - | 4.32 | |
| | Old Hospital W | 7 | 0.90 | 1.20 | - | 7.56 | |
| | | 2 | 1.50 | 1.20 | - | 3.60 | |
| | | | | | | 67.34 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Num |
|---|---|---|
| 1 | 2 | |
| | C&FC 13/11 | 2 |
| | | 1 |
| | | 1 |
| | | 1 |
| | | 1 |
| | Page · 3800 : 40 | 1 |
| (33) | Supply Water Stora (LLDPE) ISI 2000 Ca | |

BOOK

| sions Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| 2.15 | - | 10.64 | 10.33 |
| 1.20 | - | 10.80 | |
| 1.20 | - | 2.82 | |
| 1.20 | - | 3.60 | |
| 2.40 | - | 12.60 | |
| 3.00 | - | 11.70 | |
| 2.40 | - | 4.32 | |
| 1.20 | - | 7.56 | |
| 1.20 | - | 3.60 | |
| | | 67.34 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

495670

Serial No. ..... From..... To.....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | 2 | 2.40 | 1.80 | - | 8.64 | |
| | | 1 | 2.40 | 2.40 | - | 5.76 | |
| | CHECKED 13/11 | 1 | 6.70 | 2.10 | - | 14.07 | |
| | | 1 | 4.95 | 2.10 | - | 10.39 | |
| | | 1 | 5.40 | 2.10 | - | 11.34 | |
| | | 1 | 3.00 | 1.20 | - | 3.60 | |
| | Page · 3800 : 10 | | | | | 121.14 M2 | 423990.00 |
| (33) | Supply Water Storage tanks made of virgin Polymer (LLDPE) non toxic colours water black & blue and inner | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Loose layer of approved quality and make Conforming to IS/ISO/SBI Specification etc.-complete. | | | | | | |
| | | 2 | 1000.00 | - | - | 2000 Cubic M | |
| | Rate. 9.00 | | | | | | 18000:00 |
| (34) | Earth work excavation for foundation & Service Water Supply Sanitary line and electrical Conduit either in Pits or in Trenches 1.00 mtr and above in width in ordinary soil up to exceeding 1.00 mtr in depth including dressing the bottom and sides & Pits and Trenches Stacking the excavated m | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of A
Date of commencement of work ..

| Date | Full description, etc, of |
|---|---|
| 1 | 2 |
| | With Load as per SP... As Per ... Rate. 280 |
| (35) | Providing ... Pvc Pipes & ... and Labour |

MENT BOOK

| Dimensions | | | Contents | Reference to last Measurement |
|---|---|---|---|---|
| ngth 4 | Breadth 5 | Depth 6 | 7 | 8 |
| d quality and make conform | | | | |
| ven else.-complete. | | | | |
| 00.00 | - | - | 2000 Cubic M | |
| | | | | 18000:00 |
| m for foundation & Building | | | | |
| line and electrical conduits | | | | |
| ues 1.00 M or and afone in | | | | |
| s & exceeding 1.00 M in | | | | |
| s due to roof & sides | | | | |
| ceeding one excavated in | | | | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

495671

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions | | | | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | Number 3 | Length 4 | Breadth 5 | Depth 6 | | |
| | With Load upto 50 MSR after breaking & Loads Complete as per Specification. | | | | | | |
| | As per Pre-Measurement recorded vide | | | | | | |
| | in Page No.. 495697 | | | | | | |
| | | | | | | 67.00 M³ | |
| | Page. 280 : 10 | | | | | | 18900 : 10 |
| (35) | Providing and installing as. Size & Weight 63mm (0.062) PVC Pipes & Gusseting including Cost & Pipes and Specials and Labour including Lowering in Position Leaving the | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Providing Cement and Pervious Concrete of 10 mm size Coarse Aggregate including joining & applying bond with all labour and lift charges & handling charges including encasing the pipe around to a depth not less than 15 cms with gravel or selected earth available from the excavation etc.-Complete. | | | | | | |
| | As per Pre-Measurements recorded vide Page No.. 495697 to 495698 in this MB. | | | | | 150.00 Mtr | |
| | Rate. 380=00 | | | | | | 57000=00 |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Age
Date of commencement of work .....

| Date | Full description, etc, of wo |
|---|---|
| 1 | 2 |
| 36 | Providing a laying not e deposited (a up to 50 Mtr a Complete ag |
| | Quan |
| | Rate. 110 = 0 |

T BOOK

| sions | | Contents | Reference to last Measurement |
|---|---|---|---|
| Breadth 5 | Depth 6 | 7 | 8 |
| ...ing as ...ing Earth approved type ... all ...dling charges ... to a depth not ... ed Earth ... ...e. | | | |
| ...s recorded vide 95698 | | in this MB. 150.00 MSR | 57000=00 |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 495672

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| 36 | Refilling ... Earth around Pipe lines, Cables in layers not exceeding 20cms in depth compacting each deposited layer by ramming after watering ... and ... up to 5 MSR and ... up to 1.00 MSR including cost & all ... compose as per specification. Quantity vide Item no. 34 Rate. 110=00 | | | | | 67.50 M³ | 7425=00 |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| (37) | Precast slab 80mm and 100mm RCC Sunslab (excluding steel reinforced) including conveying and transferring Machine mixed concrete laid in layers not exceeding 15cms thick well compacted Cost of all materials Labour HOM & Mechanics Curing Complete as per specification CC 1:1.5:3 including cost & transport of all materials to site Rate Precast slabs. | | | | | | |
| | Hospital Frens | 30 | 1.20 | 0.60 | - | 21.60 | |
| | | 10 | 1.20 | 0.60 | - | 7.20 | |
| | | 12 | 1.20 | 0.60 | - | 8.64 | |
| | Rate · 2000 : 00 | | | | | 37.44 M² 74880 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Ag
Date of commencement of work ....

| Date | Full description, etc, of w |
|---|---|
| 1 | 2 |
| | 4/11/19 |
| | Certificate · (1) |
| | (2) |
| | 4/11/19 |

BOOK

| ns | | Contents | Reference to last Measurement |
|---|---|---|---|
| eadth 5 | Depth 6 | 7 | 8 |
| on Base Slab (excludin | | | |
| nsering and Shuttering | | | |
| d in Lay ans not exceedin | | | |
| Cost of all materials Carria | | | |
| upto site as per Specificatn | | | |
| Materials to be used | | | |
| | | | |
| 0.60 | - | 21.60 | |
| 0.60 | - | 7.20 | |
| 0.60 | - | 8.64 | |
| | | $37.44 m^2$ | 74880 |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

495673

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | | | | | Total | Rs. | 2094929:50 |
| 4/11/19 | C & FC | | | | | | |
| | 24/11/2019 | | | | | | |
| | Certificate. (1) Certified that the work done satisfactory. | | | | | | |
| | (2) This bill amount has not been claimed in any | | | | | | |
| 4/11/19 | & previous bill. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |

Aghrahara Layout




Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |

1st

NT BOOK

| mensions | | | Contents | Reference to last Measurement |
|---|---|---|---|---|
| | Breadth 5 | Depth 6 | 7 | 8 |
| | | | ↑ To Kogilu Road | |
| New Hospital | | | | |
| | | | → | |
| | | | To Thirumarahally | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 495674

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | 1st and Final Bill | | | | | | |
| | ಲೆಕ್ಕಶೀರ್ಷಿಕೆ 1771 ರಡಿ | | | | | 2105600=00 | |
| | ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. 2105600=00 ರೆಯನ್ನು ಪಾವು ಮಾಡಿದೆ. | | | | | IT 22000=00 | |
| | ಇದರಲ್ಲಿ ರೂ. 88660=00 ಗಳನ್ನು ಮುಂಜಾಗೆ | | | | | GST 18800=00 | |
| | ಮಾಡಿಕೊಂಡು ರೂ. 2016940=00 ರೆಯನ್ನು | | | | | CGST 18800=00 | |
| | | | | | | CDF 2200=00 | |
| | FT/NEFT/ | | | | | CWF 22000=00 | |
| | ವಿಷಯ ನಿರ್ವಾಹಕರು ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ ಬೃಬೆ.ಮ.ಪಾ. ಬೆಂಗಳೂರು | | | | | LR 4860=00 | |
| | ಸಹಾಯಕ ಅಭಿಯಂತರರು ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ ಬೃಬೆ.ಮ.ಪಾ. ಬಂಗಳೂರು 13/11 | | | | | 88660=00 | |
| | | | | | | Net 2016940=00 | |